



Bluetooth Ring Barcode Scanner 2D **SC365**

INCREASE PRODUCTIVITY IN APPLICATIONS OF
BARCODE SCANNING WITH FLEXIBILITY, COMFORT,
FUNCTIONALITY AND MAXIMUM PERFORMANCE

The SC365 Provides your workers with the technology, form and functionality needed to achieve a superior level of productivity in package management and warehouse applications. Its advanced ergonomic and wireless connectivity provides mobility and comfort like no other.



Amazing performance scanning 1D, 2D bar codes, eliminating the need to align the barcode and scanner. And with the toughest scanner in its class, the SC365 delivers reliable performance in demanding environments, from the loading docks to the warehouse floor and assembly line.



Features:

-
- Lightweight and ergonomic wearable ring
 - 1000mAh Battery provides more than 8 continues Working Hours
 - Antiknock design, withstand 1.5 m (5 ft.) drops
 - Optional Wireless charger can charge up 2 scanners simultaneously

Physical

Construction	ABS + PC
Color	Dark Gray
Dimensions	66mm (H) x 44mm (W) x 24mm (D)
Weight	65g
Cable	1M straight charging cable

Features

Scan Rate	60 frame per second
Depth of field	5-16cm
Antiknock design	Withstand 1.5 m (5 ft.) drops
life of button	1 million scans
Interface	Micro-USB and DC pin
Compatibility	Windows, Mac OS, Linux, Android, IOS, Linux
Memory	Can store more than 2K Scans

Performance

Optical System	5.0 mil (Code 39), 6.6 mil (PDF417)
Resolution	640*400 pixels
Aim Light Source	Amber 610nm LED
Light Source	Hyper Red 660nm LED
Field of View	Horizontal: 42.0°, Vertical: 28.0°
Print Contrast	20% @ UPC/EAN 100%
Visual Indicator/Display	LED
Decode Capability 1D	Codabar, Code 11, Code 128, Code 2 of 5, Code 39, Code 93 and 93i, EAN/JAN-13, EAN/JAN 8, IATA Code 2 of 5, Interleaved 2 of 5, Matrix 2 of 5, MSI, GS1 Databar, UPC-A, UPC E, UPC-A/EAN-13 with Extended coupon Code, Coupon GS1 Code 32(PARAF), EAN-UCC Emulation, GS1 Data bar
Decode Capability 2D	Codablock A, Codablock F, PDF417, MicroPDF417, Aztec Code, Data Matrix, MaxiCode, QR Code, Chinese Sensible(Han Xin) code, Australian Post, British Post, Canadian Post, China Post, Japanese Post, Korea Post, Netherlands Post, Planet Code

Communication

Communication method	Bluetooth 4.0
Communication range	Up to 10m on open places

Electrical

Voltage	3.55V - 4.15V
Power consumption	150.6mA

Battery

Battery Type	Lithium-ion polymer
Battery Capacity	1000mAh
Working Time	More than 8 Hours
Time for full Charge	Less than 3.5h

Environmental

Operating Temperature	-10°C to 50°C
Operating Humidity	5% to 95% relative humidity, non-condensing
Storage Temperature	-20°C to 70°C
Storage Humidity	5% to 95% relative humidity, non-condensing
Light Levels	100,000 Lux Max

Packaging

In the Box	Scanner, Cable, Power adapter, Receiver, Manual
Carton Size	140mm x 135mm x 60mm
Gross Weight(kg)	0.20Kg

